Full Colour Multi Function Printer

RICOH IM C3000 IM C4500 IM C6000





Welcome to a new era of technology that keeps your workplace up to date with RICOH IM C3000 / C4500 / C6000 range of intelligent devices. Device and technology that is designed to grow and adapt, just as your business does.

Today's workplace needs to be ready for tomorrow. RICOH Intelligent Devices provide smooth access to functionality upgrades and productivity enhancements when they are released, without needing to change your hardware. Turn your device into a powerful hub that helps you manage information workflows efficiently, usingtechnology that is scalable, secure, sustainable and simple.

Now is the time to:

- Protect your devices with easy access to security updates
- Take advantage of easy productivity upgrades at your own pace
- Save costs by bringing high-standard quality print output in-house
- Maximise productivity with streamlined workflows





Excellent Performance with the Best Quality Output

Greater Control of Scan and Print Management

Scanning of smaller sized documents can be easily done with the new small sized paper scan unit. The double feed detection unit helps to improve scan accuracy while the EFI controller enhances print management. Now, you can also create professional grade flyers at your own convenience with our inner multi-folding unit.



Seamless User Experience

Our intelligent devices offer efficient working and reduced user intervention by expanding paper capacity. Choose from our versatile finishing and paper options for a professional touch to save time and reduce outsourcing expenses. With RICOH Intelligent Support, experience maximum device uptime and minimal disruption across all your devices.





Maximise Cost Savings

Enjoy lower running costs and reduced energy consumption thanks to environmentally friendly low TEC (Typical Electricity Consumption) values. Furthermore, take advantage of RICOH Intelligent Support services that anticipate potential issues and send corrective instructions via the Smart Operation Panel, avoiding interruptions and prolonging the optimal performance of your device – avoiding the need for intervention by more costly IT resources.



Next-level Productivity with Smart Operations

Interact with the 10.1" Smart Operation Panel like a typical smart device and configure it for quick and easy access to apps you use most often. A variety of mobile connectivity options enable printing or scanning to the office network or cloud from a smart device with built in support for NFC, AirPrint or Mopria. All this underpinned by a unique suite of support apps from RICOH Smart Integration.

RICOH IM C3000 / IM C4500 / IM C6000

MAIN SPECIFICATIONS

MODEL	RICOH IM C3000	RICOH IM	C4500	RICOH IM C6000	
GENERAL					
Warm-up Time		21 Seco	onds		
First Output Speed : B/W	4.5 Seconds	3.6 Sec	onds	2.9 Seconds	
First Output Speed : Full Color	6.9 Seconds	5.4 Sec	onds	4.2 Seconds	
Continuous Output Speed	30ppm			60ppm	
Memory Std/Max	2.00	2GB Std / 4GB Max			
HDD Std/Max	320GB Std//Agb Max				
ARDF Capacity	100 Sheets				
SPDF Capacity	220 Sheets				
Weight [Mainframe]	Less Than 85.5Kg Less Than 87.5Kg				
Dimensions W x D x H [Standard]					
Dimensions W x D x H [Maximum]	587 x 685 x 788 mm				
(excluding ARDF/SPDF)	668 x 738 x 1030 mm				
Power Source		220 - 240V	50/60Hz		
COPIER					
Multiple Copying		Up to 999	Copies		
Resolution		600 c	lpi		
Zoom		From 25% to 400)% in 1% Step		
PRINTER					
СРИ	Intel Atom Processor ApolloLa	ke 1.3GHz	Intel Aton	n Processor ApolloLake 1.6GHz	
Printer Language : Standard	PCL5c,	PCL6, Postscript 3 (emula			
Printer Language : Option	Genuine Adobe	® Postscript®3™, XPS, IPD	S, PictBridge, PDF Dire	ct from Adobe®	
Print Resolution		1,200 x 1,3			
Network Interface : Standard	Ethernet 10 base-T/	100base-TX/1000 base-T,	· ·	SB Device I/F Type B	
Network Interface : Option		84/ECP, Wireless LAN (IEE			
Mobile Printing Capability		Mopria, Google Cloud Pr			
Windows® environments	Windows® 7, Windows® 8.1, Windo				
windows environments		Windows® Se	erver 2016		
Mac OS environments		Macintosh OS X	10.11 or Later		
UNIX environments	UNIX Sun® Solar	is, HP-UX, SCO OpenServ	er, RedHat® Linux Ente	rprise, IBM® AIX	
SAP® environments		SAP® S	5/4®		
Other Supported anvironments	IBM iSeries				
Other Supported environments		10101130	21163		
SCANNER					
		120ipm (Simplex) /			
SCANNER			240ipm (duplex)		
SCANNER Scanning Speed		120ipm (Simplex) /	240ipm (duplex) dpi		
SCANNER Scanning Speed Resolution : Maximum		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR,	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single	page PDF-A, Multi page TIFF, Page PDF-A	
SCANNER Scanning Speed Resolution : Maximum Compression Method		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single mpression PDF, Multi P		
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single mpression PDF, Multi P		
SCANNER Scanning Speed Resolution : Maximum Compression Method File Formats Scan Modes		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single mpression PDF, Multi P		
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single mpression PDF, Multi P JSB, SD Card		
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single mpression PDF, Multi P JSB, SD Card PBX nds		
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single mpression PDF, Multi F JSB, SD Card PBX nds bps		
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single mpression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi		
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K	240ipm (duplex) dpi JBIG2), Grayscale compression PDF, Single mpression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi		
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm	240ipm (duplex) dpi JBIG2), Grayscale Dipperssion PDF, Single mpression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG		
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single mpression PDF, Multi F JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages)		
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, L PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single mpression PDF, Multi F JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages)		
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum		120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, L PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single mpression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages) 0 Pages)		
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING	Multi page	120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M 4MB (320 60MB (4,80	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single mpression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages) 0 Pages) A6, B4, B5, B6	age PDF-A	
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std	Multi page	120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co Email, Folder, L PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M 4MB (320 60MB (4,80	240ipm (duplex) dpi JBIG2), Grayscale ompression PDF, Single mpression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages) 0 Pages) A6, B4, B5, B6 rays + 100 Sheet bypas	age PDF-A	
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Input Capacity Max	Multi page	120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M 4MB (320 60MB (4,80 SRA3, A3, A4, A5, 00 Sheets (550 Sheet x 2 t 4,700 Sl	240ipm (duplex) dpi JBIG2), Grayscale compression PDF, Single mpression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages) 0 Pages) A6, B4, B5, B6 rays + 100 Sheet bypas neets	age PDF-A	
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Output Capacity Std	Multi page	120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, L PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M 4MB (320 60MB (4,80 SRA3, A3, A4, A5,	240ipm (duplex) dpi JBIG2), Grayscale compression PDF, Single mpression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages) 0 Pages) A6, B4, B5, B6 rays + 100 Sheet bypas neets	age PDF-A	
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Output Capacity Std Paper Output Capacity Std	Multi page	120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M 4MB (320 60MB (4,80 SRA3, A3, A4, A5, 00 Sheets (550 Sheet x 2 t 4,700 Sh	240ipm (duplex) dpi JBIG2), Grayscale Dempression PDF, Single Dempression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages) 0 Pages) A6, B4, B5, B6 rays + 100 Sheet bypase neets eets	ss)	
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Output Capacity Std	1,625 Sheets Plain paper, Recycle paper, Spe	120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M 4MB (320 60MB (4,80 SRA3, A3, A4, A5, 00 Sheets (550 Sheet x 2 t 4,700 Sh	240ipm (duplex) dpi JBIG2), Grayscale Dempression PDF, Single Dempression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages) 0 Pages) A6, B4, B5, B6 rays + 100 Sheet bypas neets eets eets lg/m² etterhead, Cardstock,	3,625 Sheets Preprinted paper, Bond paper,	
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Output Capacity Std Paper Output Capacity Max Paper Weight Paper Types	1,625 Sheets Plain paper, Recycle paper, Spe	120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M 4MB (320 60MB (4,80 SRA3, A3, A4, A5, 00 Sheets (550 Sheet x 2 t 4,700 Sh 500 Sh	240ipm (duplex) dpi JBIG2), Grayscale Dempression PDF, Single Dempression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages) 0 Pages) A6, B4, B5, B6 rays + 100 Sheet bypas neets eets eets lg/m² etterhead, Cardstock,	3,625 Sheets Preprinted paper, Bond paper,	
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Input Capacity Std Paper Output Capacity Std Paper Output Capacity Std Paper Output Capacity Max Paper Weight Paper Types ECOLOGY	1,20 1,625 Sheets Plain paper, Recycle paper, Spe	120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M 4MB (320 60MB (4,80 SRA3, A3, A4, A5, 00 Sheets (550 Sheet x 2 t 4,700 Sh 500 Sh	240ipm (duplex) dpi JBIG2), Grayscale Dempression PDF, Single Dempression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages) 0 Pages) A6, B4, B5, B6 rays + 100 Sheet bypas neets eets eets lg/m² etterhead, Cardstock,	3,625 Sheets Preprinted paper, Bond paper, DHP	
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Input Capacity Std Paper Output Capacity Max Paper Output Capacity Max Paper Weight Paper Types ECOLOGY Power Consumption: Max	1,625 Sheets Plain paper, Recycle paper, Specoa	120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M 4MB (320 60MB (4,80 SRA3, A3, A4, A5, 00 Sheets (550 Sheet x 2 t 4,700 Sh 500 Sh	240ipm (duplex) dpi JBIG2), Grayscale Dempression PDF, Single Dempression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages) 0 Pages) A6, B4, B5, B6 rays + 100 Sheet bypas neets eets eets lg/m² etterhead, Cardstock,	3,625 Sheets Preprinted paper, Bond paper, OHP Less Than 1,850 W	
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Input Capacity Std Paper Output Capacity Max Paper Output Capacity Max Paper Weight Paper Types ECOLOGY Power Consumption: Max Power Consumption: Ready	1,625 Sheets Plain paper, Recycle paper, Specoa	120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M 4MB (320 60MB (4,80 SRA3, A3, A4, A5, 00 Sheets (550 Sheet x 2 t 4,700 Sh 500 Sh	240ipm (duplex) dpi JBIG2), Grayscale Dempression PDF, Single Dempression PDF, Multi P JSB, SD Card PBX nds bps 200 x 100 dpi , 400 x 400 dpi MR, JBIG Pages) 0 Pages) A6, B4, B5, B6 rays + 100 Sheet bypas neets eets eets lg/m² etterhead, Cardstock,	3,625 Sheets Preprinted paper, Bond paper, OHP Less Than 1,850 W 59.0 W	
SCANNER Scanning Speed Resolution: Maximum Compression Method File Formats Scan Modes FACSIMILE Circuit Tranmission Speed Modem Speed: Maximum Resolution: Standard Resolution: Option Compression Method Memory: Standard Memory: Maximum PAPER HANDLING Recommended Paper Size Paper Input Capacity Std Paper Input Capacity Std Paper Output Capacity Std Paper Output Capacity Std Paper Weight Paper Types ECOLOGY Power Consumption: Max	1,625 Sheets Plain paper, Recycle paper, Specoa	120ipm (Simplex) / 1,200 TIFF (MH, MR, MMR, JPEG, Single Page High co PDF, Multi page High co Email, Folder, U PSTN, 2 Seco 33.6 K 8 x 3.65 line/mm, 16 x 15.4 line/mm MH, MR, M 4MB (320 60MB (4,80 SRA3, A3, A4, A5, 00 Sheets (550 Sheet x 2 t 4,700 Sh 500 Sh	240ipm (duplex) dpi JBIG2), Grayscale Description PDF, Single Description PDF, Multi P JSB, SD Card PBX Inds Description PDF, Multi P JSB, SD Card PBX Inds Description PDF, Multi P JSB, SD Card PBX Inds Description PDF, Multi P JSB, SD Card DESCRIPTION PAIR DESCRIPTION PAIR A00 x 400 dpi MR, JBIG Pages) O Pages) A6, B4, B5, B6 rays + 100 Sheet bypass Description Pair Description	3,625 Sheets Preprinted paper, Bond paper, OHP Less Than 1,850 W	

RICOH IM C3000 / IM C4500 / IM C6000

MAIN SPECIFICATIONS

MODEL	RICOH IM C3000	RICOH IM C4500	RICOH IM C6000			
OUTPUT TRAY AND FINISHER OPTION						
1 x 550-Sheets Paper Tray (PB 3270)	Paper Size : A6-SRA3, Paper Weight : 60-300g/m²					
2 x 550-Sheets Paper Tray (PB 3280)	Paper Size: A6-SRA3, Paper Weight: 60-300g/m ²					
2,000-Sheets Large Capacity Tray (LCIT PB3290)	Paper Size : A4, Paper Weight : 60-300g/m²					
1,500-Sheets Large Capacity Tray (LCIT RT3040)		Paper Size : A4, Paper Weight : 60-300g/m²				
1,000-Sheets Hybrid Finisher (SR3260)		Paper Size: Proof Tray: A6-A3, Shift Tray: A6-A3, Paper weight: 60-300g/m² Staple paper size: A4-A3, Staple paper weight: 52-105g/m Staple position: Top, Bottom, 2 Staples Staple capacity Max: 50 sheets (A4) 30 Sheets (A3) Stapleless capacity Max: 5 sheets (A4/A3)				
3,000-sheet Finisher (SR 3280) [Available for IM C4500, IM C6000 only]		Paper Size : Proof Tray :A6-A3, Shift Tray : A6-A3, Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top, Bottom, 2 Staples, Top slant Staple capacity Max : 50 sheets (A4) 30 Sheets (A3)				
1,000-Sheet Booklet Finisher (SR3270)		Paper Size : Proof Tray :A6-A3, Shift Tray : A6-A3, Booklet tray : A4-A3 Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top, Bottom, 2 Staples, Booklet Staple capacity Max : 50 sheets (A4) 30 Sheets (A3)				
2,000-Sheet Booklet Finisher (\$R3290) [Available for IM C4500, IM C6000 only]		Paper Size : Proof Tray :A6-A3, Shift Tray : A6-A3, Booklet tray : A4-A3 Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top, Bottom, 2 Staples, Booklet Staple capacity Max : 50 sheets (A4) 30 Sheets (A3)				
500-Sheet Internal Finisher (SR3250) (IM C6000 is not supported)	Staple paper size : A4-/	Paper Size : A6-A3, Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top, Bottom, 2 Staples Staple capacity Max : 50 sheets (A4) 30 Sheets (A3)				
250-Sheet Internal Finisher (SR3300) (Available for IM C3000, IM C3500 only)	Paper Size : A6-A3, Paper weight : 60-300g/m² Staple paper size : A4-A3, Staple paper weight :52-105g/m Staple position : Top,1 Staple Staple capacity Max : 2-5 sheets (A4)					
Internal Shift Tray (SH3080)	Tray Capacity : 250 sh	Tray Capacity: 250 sheets, Paper size: 320 mm x 600 mm or smaller, Paper weight: 60-300g/m²				
One-bin tray (BN3130)	Tray Capacity: 125 sheets, Paper size: A5 - A3, Paper weight: 52-300g/m ²					

OTHER OPTIONS

Platen Cover PN2000, DF3110, DF3120, Fax Option Type M37, G3 Interface Unit Type M37, Fax Connection unit Type M37, FAX Memory unit Type M19 64MB, Memory Unit Type M37 4GB, Caster Table Type M3, VM Card Type M37, Side Tray, Punch Unit NA/EU/SC (PU3070,PU3080,PU3090), Internal Multi-fold unit FD3010, Camera direct print card, Postscript3 Unit Type M37, XPS direct print Option Type M37, IEEE 1284 I/F Type M19, IEEE 802.11a/g/n I/F Type M19, Device server option Type M37, File format Converter Type M19, OCR Unit Type M13, Small Paper Feeding Unit Type M37, Page Keeper Type M37, ADF Handle, External Keyboard Bracket Type M19, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, NFC Card Reader Type M37, Smart Card Reader Built in Unit Type M37, External USB Keyboard (No bracket), Color Controller E-25C, Unicode Font Package for SAP®License.



URL: https://www.minosha.in

MINOSHA INDIA LIMITED (Formerly Ricoh India Limited)

CORPORATE OFFICE: 7th & 11th Floor, Tower 'B', Windsor IT Park, A-1, Sector 125, Expressway, Gautam Budh Nagar, Noida, Uttar Pradesh - 201301

Tel: (0120) 4582900, Service toll free number: 1800 103 0066 & 1800 116 600, Email: ril.info@minosha.in REGISTERED OFFICE: Unit No. 1132, 3rd Floor, Building No. 11, Solitaire Corporate Park, Andheri Ghatkopar Link Road, Chakala, Andheri East, Mumbai - 400 093

Tel: +91 22 66833000 (5 Lines) Fax: +91 22 67032099.

Bangalore, Chennai, Noida, Gurgaon, Hyderabad, Kolkata, Ahmedabad, Mumbai & Pune.

For more information, please contact:

^{*} For availability of models, optional apparatus and software, please consult your local Ricoh representative.

^{*} For complete capability of Mac, Unix, Sap and IBM iSeries. Genuine Adobe® Postscript®3™ is required.