

InfoPrint 5000 Multi-Purpose Platform (MP)



Avoid technology lock-in

The InfoPrint® 5000 Multi-Purpose Platform (MP), a key member of the InfoPrint 5000 continuous form, inkjet printer family, offers color, monochrome and MICR capability in a very compact footprint. The InfoPrint 5000 provides transactional printers, commercial printers, book printers and direct mailers with investment protection through platform interoperability, operating flexibility and ongoing product enhancements that are available to all InfoPrint 5000 customers. You can configure platforms and models with each other to run diverse applications and optimize productivity.

The InfoPrint 5000 platforms are built with the same highly reliable core technology but address different application and volume requirements. All are designed to conserve energy, produce superb quality, maximize productivity, offer an array of ink/fluid choices, and work with multiple datastreams.

The MP models are fully compliant with Interchange Set/3 (IS/3) standards. This means that in multivendor environments, IS/3-compliant applications generated by Advanced Function Presentation™ (AFP™) datastreams are printed correctly. IS/3 standards cover process and spot colors, International Color Consortium-based color management, industry-standard image formats and more.

HIGHLIGHTS

- Tailor your solution with full-color, monochrome and MICR configurations
- Raise the quality of images and grayscales with enhanced halftones on certain monochrome models
- Produce superb print quality from unique imaging technology that dynamically jets variable drop sizes for each pixel on each page
- Reduce environmental impact with low power consumption, a small footprint and simplified operations
- Utilize an ink management suite for print job estimates and monitoring
- Achieve high throughput using diverse papers
- Choose a configuration for today's requirements with the flexibility to adapt in the future—certain MP models support U configuration, in addition to I and L configurations

InfoPrint 5000 Multi-Purpose Platform (MP)

Transition to inkjet with confidence

The InfoPrint 5000 MP color, MP monochrome and MP MICR models are designed to help you transition smoothly to inkjet technology. The MP models, which offer the lowest power consumption in the market and a very small footprint, are exceptionally versatile. For example, you can run monochrome applications now while you develop color applications for future use. When you're ready, you can convert to full color on-site. Select the speeds and fluids that suit your needs now, and change them as requirements evolve.

The built-in AFP architecture, which is designed for high-speed printing, can provide accurate, consistent, device-independent output with page-level error recovery for MICR, monochrome and color output and a variety of applications.

Pair platforms for greater flexibility

While MP models can be configured as a high-speed duplex mono or entry-level duplex color system, you can also pair MP models with InfoPrint 5000 General Production Platform (GP) models to meet particular output needs.

One configuration pairs an on-demand MP MICR with a GP color in Adobe® PDF/PostScript® environments, using a new feature for specified color support. Another configuration provides on demand MICR for monochrome applications in the AFP environment, by pairing a new GP model using black and MICR inks with an MP mono in a compact footprint that delivers very high throughput.

Another configuration combines two GP color engines and a third engine, such as the InfoPrint 5000 MP MICR. This space-optimizing U configuration features face-to-face displays to maximize operator convenience.

Produce outstanding halftones

Images and grayscales in complex jobs, like books, can pose a quality challenge, especially when light tints are involved. Enhanced halftones on the MP MD3/MD4 monochrome models improve halftone quality while the printer is running at top speed.

| InfoPrint 5000 Multi-Purpose Platform (MP) MC1/MC2: Full-color printing up to 64 meters/min MD3/MD4: Monochrome printing up to 128 meters/min XR3: On-demand MICR printing up to 128 meters/min | Multi-purpose platform designed to ease the transition to inkjet technology Monochrome and MICR with option to convert to full color Choice of configurations and fluids that can be changed in the future Enhanced halftones on MP models MD3/MD4 | |
|--|---|--|
| InfoPrint 5000 General Production Platform (GP) AS1: Full-color simplex printing up to 64 meters/min. AS3: Full-color simplex printing up to 128 meters/min. AD1/AD2: Full-color printing up to 64 meters/min. Available with integrated MICR. AD3/AD4: Full-color printing up to 128 meters/min AD3/AD4 + XR3: Full-color printing up to 128 meters/min with on-demand MICR KM3/MD4: Monochrome printing up to 128 meters/min with on-demand MICR | General production platform with field-upgradeable speed Optional integrated and on-demand MICR Accommodates diverse applications from books to bills GP models AD1/AD2 and AD3/AD4 support face-to-face "U configuration, which saves floor space and enables easy operator access to printer displays GP models AD1/2 and AD3/4 (at speeds up to 64 meters/min) support the Extended Media Dryer feature, which enables the use of heavier, lighter, treated and coated stocks with pigment and dye inks Enhanced halftones on GP model KM3, excluding MICR | |
| InfoPrint 5000 Volume Platform (VP) VP Color VC5/VC6: Full-color printing up to 150 meters/min VP Color VC7/VC8: Full-color printing up to 220 meters/min | Very high-volume platform for transactional and commercial applications Leverages proven, leadership production inkjet technology Compact, simple design with superb print quality | |

InfoPrint 5000 Multi-Purpose Platform (MP) at a glance

| | InfoPrint 5000 MP | InfoPrint 5000 GP | InfoPrint 5000 VP |
|------------------------------------|---|---|---|
| Models | MC1/MC2 MD3/MD4 XR3 | AD1/AD2 AD3/AD4 AD3/AD4 + XR3 KM3/MD4 | VP Color VC5/VC6 VP Color VC7/VC8 |
| Speed | Up to 128 meters/min | Up to 128 meters/min | Up to 220 meters/min |
| 2-up Duplex Throughput | Up to 1,832 ltr imps/min 1,724 A4 imps/min | Up to 1,832 ltr imps/min 1,724 A4 imps/min | Up to 3,148 ltr imps/min 2,960A4 imps/min |
| Maximum Resolution | 720 × 360 dpi | 720 × 720 dpi | 720 × 360 dpi |
| Exclusive Imaging Technology | 2 bits per spot Stochastic screening, 1,440 dpi effective resolution Dynamic variable drop size for every point on a page | | |
| Compatible Inks | CMYK dye MICR | CMYK pigment CMYK dye MICR | CMYK dye |
| Finishing | Multiple partners provide a variety of unwind, rewind, cut, fold, dynamic perforation, vision systems and inline processing, including a solution for books | Multiple partners provide a variety of unwind, rewind, cut, fold, dynamic perforation, vision systems and inline processing, including a solution for books | Multiple partners provide a variety of unwind, rewind, cut, fold, dynamic perforation, vision systems and inline processing, including a solution for books |
| Web Width | 6.4 in./165 mm to 20.4 in./520 mm paper | 6.4 in./165 mm to 20.4 in./520 mm paper | 6.4 in./165 mm to 20.4 in./520 mm paper |
| Supported Configurations | All models support I and L configurations Certain MP models support U configuration | All models support I and L configurations AD1/AD2 and AD3/AD4 also support U (face-to-face) configuration, with two GP engines or with two GP engines and a third engine, such as MICR | All models support I and L configurations |

For more information

To learn more about the InfoPrint 5000 family, contact your Ricoh production print specialist or visit: ricoh-ap.com



URL: https://www.minosha.in

MINOSHA INDIA LIMITED

CORPORATE OFFICE: Plot No. 25, Okhla Phase- 3, New Delhi – 110020
Tel: 011- 42266250, Email: ril.info@minosha.in, Service toll free number: 1800 103 0066 & 1800 116 600
REGISTERED OFFICE: Quest,1073, Rajabhau Desai Marg, Behind Beau Monde Towers, Prabhadevi, Mumbai,

Maharashtra- 400025

Tel:+91-22-69394444
Bangalore, Chennai, Delhi, Hyderabad, Kolkata, Ahmedabad, Mumbai & Pune.

For more information, please contact: