

IM C6010

60 ppm

IM C4510

45 ppm

IM C3510

35 ppm

Full Colour Multi Function Printer

IM C2010 IM C2510 IM C3010 IM C3510 IM C4510 IM C6010

☑ Printer ☑ Copier ☑ Scanner ☑ Fax



Let's make your print infrastructure a gateway to your digital workspace

As workstyles evolve, digitalisation, agility and teamwork are essential for your organisation to remain competitive. Ricoh's Managed Print & Automation Services unlock the value of your print infrastructure with tailored, managed solutions which empower your people, improve efficiency, reduce cost, enhance security and drive sustainability. Our market-leading IM C Series is innovatively designed. Devices seamlessly integrate with cloud-based services and offer high-quality print, scanning and work ow automation.



Table of contents

| Achieve your sustainability goals | Page 4 | | |
|--|------------|--|--|
| Secure and efficient | Page 5 | | |
| Enhanced productivity and seamless employee experience | Page 6 | | |
| Supporting your entire digital journey now and into the future | Page 7 | | |
| The choice is yours | Page 8 | | |
| Hardware configuration | Page 10 | | |
| Product specification | Page 11/12 | | |



Achieve your sustainability goals

With environmental impact at the top of the global agenda, a sustainable approach to organisational operations is essential. Whether reducing resource and energy consumption to save costs or demonstrating a responsible approach to procuring products and services, the right print infrastructure and partner can support your sustainability goals.

A carbon neutral future

At Ricoh, we are rmly committed to reducing our environmental impact and driving a sustainable approach. The IM C Series signi cantly reduces energy consumption, as well as paper consumption by digitising work ows through scanning; helping to reduce your carbon footprint and costs.

More energy savings

The IM C Series boasts industry-leading low Typical Energy Consumption (TEC) values and automatic eco-mode energy saving (0.3W) when in sleep mode. They use an innovative new toner that fuses at a lower temperature, resulting in the ideal intelligent device with sustainability at its core.

More recycled plastic

Designed for sustainability across its lifecycle, the IM C Series is made using 50% post-consumer recycled plastic while PET toner bottles are produced from 100% recycled plastic. Plastic packaging is reduced by 54% thanks to a more sustainable material and no excess packaging.

Secure and efficient

In an increasingly digital world, organisations must protect sensitive data while enabling exible workstyles. Our printers are designed and manufactured with end-to-end security protection and includes the latest security features – RICOH Always Current Technology and Multi-Factor Authentication. Secure cloud infrastructure ensures safe access – anywhere and any device.

Ongoing security

RICOH's Always Current Technology provides access to security upgrades and automatically downloads updates. New security tools include WPA3 authentication for wireless encryption and the latest hardware security module. You can also restrict networks by port name and protocol as well as IP address.

More security – Multi-Factor Authentication

Multi-Factor Authentication, including new card-based access to our printing devices, to minimise the risk of data breaches.

Improved admin management system

The IM C Series offers privileged admin account control with unlimited Multi-Function Printer administrator accounts and customisable permissions. This eliminates risks related to sharing IDs and can be linked to user ID systems including Microsoft Windows and LDAP platforms.





Enhanced productivity and seamless employee experience

Ricoh's intelligent devices enable the ultimate employee experience with features that save time and increase efficiency. The IM C Series automates work ows that accelerate processes and encourage collaboration. An optimised print infrastructure empowers employees to transition to digital ways of working easily and securely; improving their workplace experience.

Third-generation Smart Operation Panel

Our user-friendly IM C Smart Operation Panel has been upgraded for an even more intuitive and enjoyable experience. Brightness, touch sensitivity and position detection have been improved for optimal access to the device's many resources and functions.

Improved user experience

- Android OS 10 for better security and usability
- Faster CPU, high RAM memory and enhanced performance
 Enhanced accessibility to device, tiltable for better visibility &
- new capacitive touch sensor
- Fast wake up time from sleep mode

Efficiencies in paper handling

New peripherals ensure professional results with automated nishing possibilities. The single pass double-sided document feeder capably handles high volumes, special paper and card types. High-end options include a hybrid and booklet nisher for that extra touch.







Supporting your entire digital journey now and into the future

We understand the digital transformation that organisations are undertaking. We are here to set your organisation up for success and equip your people with the right tools to stay ahead. Our Managed Print & Automation Services can adapt to your changing needs, offering customisation, exibility and reliability.

Scanning and automation

Scanning and automation just got easier and quicker. Scanning creates digitised documents that can automate processes like invoice and contract management. Uploading documents into your systems for archiving, knowledge sharing or as part of a work ow is now simpler with Ricoh's software.

Document management storage

Our scalable document management applications drive signi cant cost savings alongside process improvements. By taking print to the cloud, you can set location-aware printers and enable users to print anytime, anywhere.

Transitioning to the cloud

Our cloud software solutions are readily available and easy to integrate with your existing IT infrastructure, allowing you to enhance the capabilities of your print device. You can also securely connect mobile devices to carry out tasks from your phone or tablet.







The choice is yours

Simple to use with sophisticated and professional results, Ricoh's IM C Series is the perfect tool for your digital workspace. Our trusted quality and technical expertise are evident from every angle.

IM C2010/IM C2510

- · 20 to 25 ppm A3 all-in-one printer for all-round support
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.20 (20ppm)/0.25 (25ppm)
- B/W power consumption (operation): 411.8 W (20ppm)/449.2 W (25ppm), Sleep mode: 0.3 W

IM C3010/IM C3510


- 30 to 35 ppm A3 all-in-one printer for high productivity
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.30 (30ppm)/0.35 (35ppm)
- B/W power consumption (operation): 464.4 W (30ppm)/500.5 W (35ppm), Sleep mode: 0.3 W

IM C4510/IM C6010

- Productive 45 to 60 ppm A3 all-in-one printer for top performance
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 23 seconds
- TEC value (kWh/week): 0.45 (45ppm)/0.67 (60ppm)
- B/W power consumption (operation): 576.6 W (45ppm)/763.3 W (60ppm), Sleep mode: 0.32 W



Hardware configuration



IM C2010/IM C2510/IM C3010/IM C3510/IM C4510/IM C6010

| | IM C2010 (ARDF) | IM C2510 (ARDF) | IM C3010 (SPDF) | IM C3510 (SPDF) | IM C4510 (SPDF) | IM C6010 (SPDF) | | |
|---|--|---------------------------------|---|----------------------------------|----------------------------------|-----------------------------|--|--|
| GENERAL | | | | | | | | |
| Warm-up time | 24 seconds | 24 seconds | 24 seconds | 24 seconds | 23 seconds | 23 seconds | | |
| First copy speed: B/W | 5.1 seconds | 5.1 seconds | 4.5 seconds | 4.5 seconds | 3.6 seconds | 2.9 seconds | | |
| First copy speed: full colour | 7.4 seconds | 7.4 seconds | 6.9 seconds | 6.9 seconds | 5.4 seconds | 4.2 seconds | | |
| Continuous output speed | 20 ppm | 25 ppm | 30 ppm | 35 ppm | 45 ppm | 60 ppm | | |
| Memory: standard | 6 GB | 6 GB | 8 GB | 8 GB | 8 GB | 8 GB | | |
| lemory: maximum | 6 GB | 6 GB | 8 GB | 8 GB | 8 GB | 8 GB | | |
| SD: standard | | | 256 | GB | | | | |
| SD: optional | | | 1 | | | | | |
| Document Feeder capacity | 100 sheets | 100 sheets | 220 sheets | 220 sheets | 220 sheets | 220 sheets | | |
| Veight (kg) | 89.7 | 89.7 | 99.3 | 99.3 | 100.8 | 100.8 | | |
| Dimensions WxDxH (mm) | 587 x 701 x 913 | 587 x 701 x 913 | 587 x 701 x 963 | 587 x 701 x 963 | 587 x 701 x 963 | 587 x 701 x 96 | | |
| Power source | | | 220 - 240 V | | | 001 / 101 / 00 | | |
| | | | 220 240 0 | ,00 00112 | | | | |
| OPIER | | | | | | | | |
| Iultiple copying | Up to 999 copies | | | | | | | |
| Resolution | | | 600 | | | | | |
| Zoom | | | From 25% to 40 | 0% in 1% steps | | | | |
| PRINTER | | | | | | | | |
| First print speed: B/W | 4.5 seconds | 4.5 seconds | 4 seconds | 4 seconds | 3.2 seconds | 2.4 seconds | | |
| First print speed: full colour | 7 seconds | 7 seconds | 6.6 seconds | 6.6 seconds | 5.2 seconds | 3.8 seconds | | |
| PU (IM C2010, IM C2510, M C3010, IM C3510) | ApolloLake E3930 1.3 GHz | | | | | | | |
| PU (IM C4510, IM C6010) | ApolloLake E3940 1.6 GHz | | | | | | | |
| rinter language: standard | | PCL5c, PC | L6, PostScript 3 (em | ulation), PDF direct | (emulation) | | | |
| rinter language: option | | Genuine Adob | e® PostScript®3™, P | ictBridge, PDF Dire | ct from Adobe® | | | |
| Print resolution: maximum | | | 4,800 x 1,200 | dpi equivalent | | | | |
| letwork interface: standard | Etherr | net 10 base-T/100 b | ase-TX/1000 base-T | , USB Host I/F Type | A, USB Device I/F | Туре В | | |
| letwork interface: option | | Wireless LA | N (IEEE 802.11 a/b/ | g/n/ac), Additional N | NIC (2 nd port) | | | |
| Nobile printing capability | | Apple AirF | Print, Mopria [®] , NFC, F | Ricoh Smart Device | Connector | | | |
| Vindows [®] environments | Windows [®] 8.1, V | /indows [®] 10, Windo | ws [®] 11, Windows [®] S 2019, Windows | | lows [®] Server 2016, \ | Windows [®] Server | | |
| Mac OS environments | | | Macintosh OS > | (v10.15 or later | | | | |
| JNIX environments | U | NIX Sun [®] Solaris, H | P-UX, SCO OpenSe | erver, RedHat [®] Linux | k Enterprise, IBM® Al | IX | | |
| SAP® environments | UNIX Sun [®] Solaris, HP-UX, SCO OpenServer, RedHat [®] Linux Enterprise, IBM [®] AIX SAP® R/3 [®] , SAP® S/4 [®] | | | | | | | |
| Other supported environments | IBM iSeries | | | | | | | |
| SCANNER | | | | | | | | |
| Scanning speed: | 00. | 00 · | 150 ipm (simplex) | 150 ipm (simplex) | 150 ipm (simplex) | 150 ipm (simple) | | |
| A4 LEF, 200dpi, B/W, Full colour) | 80 ipm | 80 ipm | 300 ipm (duplex) | 300 ipm (duplex) | 300 ipm (duplex) | 300 ipm (duplex | | |
| Resolution | | | dpi, 200 dpi(default), | | | | | |
| ile formats | Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIFF, Multi page PDF, Multi page High compression PDF, Multi page PDF/A, Single page Encryption PDF, | | | | | | | |
| Scan modes | Multi page Encryption PDF, Single/multi OCR (optional) E-mail, Folder, USB, SD Card | | | | | | | |
| AX | | | | | | | | |
| Sircuit | | | PSTN | , PBX | | | | |
| ransmission speed | | | 3 sec | | | | | |
| lodem speed: maximum | 33.6 Kbps | | | | | | | |
| Resolution: standard | 8x3.85 line mm, 200x100 dpi | | | | | | | |
| Resolution: option | 16x15.4 line mm, 400x400 dpi | | | | | | | |
| compression method | | | MH, MR, M | | | | | |
| Scanning speed (A4 LEF) | 68 spm | 68 spm | 94 spm | 94 spm | 94 spm | 94 spm | | |
| | | | | | | | | |
| lemory: standard | | | 4 MB. (32 | 20 pages) | | | | |

IM C2010/IM C2510/IM C3010/IM C3510/IM C4510/IM C6010

| | IM C2010 (ARDF) | IM C2510 (ARDF) | IM C3010 (SPDF) | IM C3510 (SPDF) | IM C4510 (SPDF) | IM C6010 (SPDF) | |
|---|--|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| PAPER HANDLING | | | | | | | |
| Recommended paper size | Standard paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Optional paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Bypass tray: SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes, Custom Size paper (Width: 90-320mm, Length: 148-457.2mm (Copy/Document server) 148-1,260mm (FAX/Printer)) | | | | | | Adobe" PostScript" : |
| Paper input: standard | | | 1,200 | sheets | | | 🚷 Bluetootl |
| Paper input: maximum | | | 4,700 | sheets | | | |
| Paper output: standard | | | 500 s | heets | | | |
| Paper output: max. (IM C2010, IM C2510, IM C3010, IM C3510) | 1,625 sheets | | | | | | |
| Paper output: max. (IM C4510, IM C6010) | | | 3,625 | sheets | | | |
| Paper weight | Trays: (60 - 300 g m²), Bypass: (52 - 300 g m²), Duplex: (52 - 256 g m²) | | | | | Apple AirP | |
| Paper types | Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coated paper, Envelope, Gloss paper, Label paper, OHP | | | | | 🖙 Apple AirPr | |
| ECOLOGY | | | | | | | Preray, |
| Power consumption: max. | Less than 1,700 W | Less than 1,700 W | Less than 1,700 W | Less than 1,700 W | Less than 1,850 W | Less than 1,850 W | ENERGY STAF |
| Power consumption operation: B&W | 411.8 W | 449.2 W | 464.4 W | 500.5 W | 576.6 W | 763.3 W | |

515.3 W

38.5 W

0.30 W

0.30 kWh/week

543.6 W

38.5 W

0.30 W

0.35 kWh/week

664.9 W

40.5 W

0.32 W

0.45 kWh/week

871.2 W

40.1 W

0.32 W

0.67 kWh/week

nisher, Internal multi-fold unit, Internal shift tray, One-bin tray, Output jogger unit
OTHER OPTIONS
Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Caster table, Memory unit, Side Tray, Banner paper guide tray, Punch units, IPDS unit, Post-

1x 550-sheet paper tray, 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,500-sheet side Large capacity tray, 1,000-sheet Hybrid nisher, 3,000-sheet nisher, 1,000-sheet Booklet nisher, 3,000-sheet booklet nisher, 250-sheet Internal nisher, 500-sheet Internal nisher, Stapleless internal

Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Caster table, Memory unit, Side Tray, Banner paper guide tray, Punch units, IPDS unit, Post-Script 3, IEEE 802.11 a/b/g/n/ac, Device server unit, File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle, Counter I/F unit, NFC card reader, EFI controller, Unicode Font Package for SAP, Card reader cover, SSD 1 TB option, Enhanced Security SSD, Bridge unit, Toner bottle lock, Stapleless unit, FAX stamp, Antimicrobial screen protector

CONSUMABLES

Power consumption operation:

OUTPUT TRAYS AND FINISHER OPTIONS

Power consumption: ready Power consumption: sleep

Full colour:

TEC*

456.3 W

37.7 W

0.30 W

0.20 kWh/week

* It is a reference value based on the ENERGY STAR Ver.3.0 test method.

494.5 W

37.7 W

0.30 W

0.25 kWh/week

| Toner (black) | 30,000 Prints | 30,000 Prints | 40,000 Prints | 40,000 Prints | 42,000 Prints | 42,000 Prints |
|--|---------------|---------------|---------------|---------------|---------------|---------------|
| Toner (cyan/magenta/yellow) Consumable yield based on 3p/j 5% coverage on A4 | 18,000 Prints | 18,000 Prints | 28,000 Prints | 28,000 Prints | 28,000 Prints | 28,000 Prints |



URL: http://www.minosha.in

MINOSHA INDIA LIMITED

CORPORATE OFFICE: Plot No, 25, Okhla Phase- 3, New Delhi, 110020

Tel: 011- 42266250, Email: ril.info@minosha.in, Service toll free number: 1800 103 0066 & 1800 116 600 REGISTERED OFFICE: Quest, 1073, Rajabhau Desai Marg, Behind Beau Monde Towers, Prabhadevi, Mumbai, Maharashtra- 400025 Tel: +91-22-69394444

Banglore, Chennai, Delhi, Hyderabad, Kolkata, Ahemdabad, Mumbai & Pune.

For more information, please contact:

mopria

nte

PictBrida