A4 Digital Colour Laser Printer



RICOH P C311W M C251FW



Professional prints in glorious colour

Put vibrant and productive colour printing within easy and affordable reach

Adding to your productivity

Combining exceptional functionality with low total cost of ownership, the compact RICOH P C311W and M C251FW A4 devices are made for business. Print immaculate colour and black and white output at up to 25 pages per minute. And, with WiFi Direct making it easy to connect, these productive desktop printers can be shared by multiple users.





*Image shown is with optional tray

Making printing even easier with additional time-saving features

Choose between the single and multi-function version based on your printing needs and take advantage of the optional second paper tray, which expands capacity and enables different sizes and types of paper to be held online, ready for use.

Gain additional features with RICOH M C251FW, a compact fax-enabled 4-in-1 multi-function printer. Its large colour touchscreen panel simplifies operation and, to save time, the integral Single Pass Document Feeder (SPDF) quickly scans double-sided originals in a single pass.

Security is in our DNA

Recognising the need for data security, we've put robust security layers in place. Manage your confidential documents with the Locked Print function to protect confidential documents from unauthorised viewing. Network encryption also ensures that data transmission remains safe.



RICOH P C311W / M C251FW

| NODEL | RICOH P C311W | RICOH M C251FW | |
|---------------------------------|---|---|--|
| ieneral | | | |
| unction(s) | Print | Copy, Print, Scan, Fax | |
| peration panel | 4-Line LCD | 4.3" Touchscreen Operation Panel | |
| /arm-up time | 20 se | conds | |
| rst output speed : B/W | 9.4 seconds | | |
| rst output speed : Full Colour | 9.8 seconds | | |
| ontinuous output speed | 25 ppm | | |
| lemory | 256 | MB | |
| PDF capacity | - | 50 sheets | |
| /eight (Mainframe) | 25kg or less | 30kg or less | |
| imensions (W x D x H) | 400 x 450 x 334 mm | 420 x 493 x 473 mm | |
| ower source | 220 - 240 | /, 50/60Hz | |
| OPIER | | | |
| ultiple copying | - | Up to 99 copies | |
| esolution | - | 600 dpi | |
| bom | - | From 25% to 400% in 1% steps | |
| RINTER | | | |
| ٧U | 350 MHz | 400 MHz | |
| inter language | PCL5c, PCL6, PostScript3 (Emulation) | | |
| rint resolution | 600 x 600 dpi (2,400 x 600 dpi equivalent) | | |
| etwork interface | Standard: USB2.0, 10Base-T/100Base-TX, IEEE802.11a/b/g/n/ac (Wireless LAN, 2.4GHz / 5GHz), Wi-Fi Direct | | |
| obile printing capability | RICOH Smart Device Connector, Apple AirPrint®, Mopria®, NFC | | |
| /indows® environments | Windows® 8.1, Windows® 10, Windows® Server 2012, Windows® Server 2012R2, Windows® Server 2016, Windows® Server 2019 | | |
| lac OS environments | Mac OS v10.10 - v11- PostScript 3 only | | |
| ther supported environment | Lin | ux | |
| CANNER | | | |
| anning speed | - | B/W: 21 ipm, Colour: 12 ipm (300 x 600 dpi, 300 x 300 dpi) | |
| esolution | | 75 - 19,200 dpi (Optical resolution maximum 1,200 dpi) | |
| ompression method | - | B&W: TIFF (MH/MR/MMR), JPEG (Grayscale), PDF, Colour: PDF, JPEG | |
| le formats | - | Single Page TIFF, Multi Page TIFF, Single Page JPEG, Single Page PDF, Multi Page PDF | |
| an modes | | Email, Folder, Network TWAIN, USB | |
| ACSIMILE | | | |
| ircuit | - | PSTN, PBX | |
| ransmission speed | | 3 seconds | |
| lodem speed | - | 33.6 Kbps - 2,400bps with Auto Fallback | |
| esolution : Standard | | 8 x 3.85 line/mm, 200 x 100 dpi | |
| esolution : Detail, Photo | | 8 x 7.7 line/mm, 200 x 200 dpi | |
| ompression method | | MH, MR, MMR, JBIG | |
| lemory | - | 2.5MB | |
| ECURITY | | | |
| eatures | User Code Authenticatio | n, Wireless LAN Security | |
| APER HANDLING | | | |
| ecommended paper size | A4, B5, A5, B6, A6, Legal, HLT, Executive, Foolscap, Folio, 16K, Com10, Monarch, C5 Env, C6 Env, DL Env, Letter, Custom size | | |
| aper input capacity | | Standard: 250 sheets (excluding bypass 1 sheet) Maximum: 751 sheets (including bypass 1 sheet) | |
| per output capacity | 150 sheets | | |
| aper weight | Standard Tray: 60 - 163g/m², Bypass: 60 - 163g/m², Duplex: 60 - 90g/m² | | |
| iper types | Plain paper 1/2, Recycled paper, Middle thick paper, Thick paper 1/2, Thin paper, Color paper, Letterhead, Preprinted, Prepunched Paper, Labels, Bond, Cardstock, Envelope | | |
| COLOGY | Color paper, Letternead, Preprinted, Prepunc | | |
| ower consumption : Maximum | 1,300W | | |
| wer consumption : Ready mode | 32.8W | 35.4W | |
| ower consumption : Sleep mode | 0.66W | 0.74W | |
| EC value | 0.40 kWh | 0.35 kWh | |
| IPUT TRAY OPTION | | | |
| x 500-sheet paper tray (TK1220) | Paner size: A1/Letter Da | per weight: 60 - 105g/m² | |
| ONSUMABLES* | Paper size: A4 / Letter, Paper weight: 60 - 105g/m ² | | |
| tarter toner | Black: 1,000 pages, Colour: 1,000 pages | | |
| oner (K - Black) | 6,900 pages | | |
| , | 6,300 pages | | |

MINOSHA

connect. experience.

URL: http://www.minosha.in

MINOSHA PRINT SOLUTIONS PRIVATE LIMITED

CORPORATE OFFICE: Plot No, 25, Okhla Phase- 3, New Delhi, 110020 Tel: 011- 42266250, Email: info@minosha.in, Service toll free number: 1800 103 0066 & 1800 116 600 REGISTERED OFFICE: Quest, 1073, Rajabhau Desai Marg, Behind Beau Monde Towers, Prabhadevi, Mumbai, Maharashtra- 400025 Tel: +91-22-69394444 Banglore, Chennai, Delhi, Hyderabad, Kolkata, Ahemdabad, Mumbai & Pune.

For more information, please contact: